

Line Check Sheet for Paragliders



KANGRI

Total line length in mm from riser quick link to canopy including line loops, following EN norm measuring method. Line

Total line length including trim loops on Cmain3 lines and STI

Brake line length measured from inside swivel to sewing of BTS 2 on canopy

Remark: blue marked lines are attached to the B-riser that is 80 mm longer than A,I,II and C

Glider	UP Kangri L	UP Kangri M	UP Kangri S
Leine / Line	Länge / Length [mm]	Länge / Length [mm]	Länge / Length [mm]
a1	6858	6599	6230
a2	6804	6546	6179
a3	6758	6502	6136
a4	6786	6528	6161
a5	6715	6461	6095
a6	6664	6411	6048
a7	6602	6350	5989
a8	6621	6367	6006
a9	6496	6247	5891
a10	6381	6136	5786
a11	6384	6137	5790
a12	6293	6050	5705
a13	6295	6051	5708
a14	6014	5779	5443
a15	5956	5724	5390
a16	5959	5725	5394
b1	6695	6440	6071
b2	6639	6386	6019
b3	6595	6343	5976
b4	6625	6371	6003
b5	6563	6312	5945
b6	6513	6263	5899
b7	6461	6212	5849
b8	6484	6233	5870
b9	6361	6114	5755
b10	6254	6011	5657
b11	6262	6017	5666
b12	6182	5941	5592
b13	6187	5946	5599
b14	5995	5761	5425
b15	6018	5781	5449

Line Check Sheet for Paragliders



KANGRI

Total line length in mm from riser quick link to canopy including line loops, following EN norm measuring method. Line

Total line length including trim loops on Cmain3 lines and STI

Brake line length measured from inside swivel to sewing of BTS 2 on canopy

Remark: blue marked lines are attached to the B-riser that is 80 mm longer than A,I,II and C

Glider	UP Kangri L	UP Kangri M	UP Kangri S
Leine / Line	Länge / Length [mm]	Länge / Length [mm]	Länge / Length [mm]
c1	6906	6644	6281
c2	6843	6583	6222
c3	6802	6544	6183
c4	6840	6579	6217
c5	6765	6507	6140
c6	6707	6451	6087
c7	6648	6394	6032
c8	6676	6420	6058
c9	6537	6288	5929
c10	6414	6168	5817
c11	6424	6176	5828
c12	6343	6098	5751
c13	6354	6108	5763
c14	6065	5829	5490
br1	7818	7524	7169
br2	7510	7235	6882
br3	7267	7000	6646
br4	7191	6925	6576
br5	7019	6759	6384
br6	6860	6603	6224
br7	6776	6520	6139
br8	6823	6562	6194
br9	6663	6409	6055
br10	6662	6405	6063
br11	6691	6432	6091
br12	6814	6549	6209

Single Line Lengths

Glider Type: Kangri L (LTF/EN B)

Date: 02.03.2020

Line no.	Quantity	Length [mm]	material	colour
a1	2	410	8000U-090	Red
a2	2	356	8000U-070	Red
a3	2	345	8000U-070	Red
a4	2	373	8000U-090	Red
a5	2	354	8000U-090	Red
a6	2	303	8000U-070	Red
a7	2	318	8000U-070	Red
a8	2	337	8000U-070	Red
a9	2	925	8000U-070	Red
a10	2	238	8000U-050	Red
a11	2	241	8000U-050	Red
a12	2	242	8000U-050	Red
a13	2	244	8000U-050	Red
a14	2	713	8000U-050	Red
a15	2	655	8000U-050	Red
a16	2	658	8000U-050	Red
A1	2	1796	8000U-130	Red
A2	2	1761	8000U-130	Red
A3	2	1679	8000U-130	Red
A4	2	1602	8000U-130	Red
A5	2	577	8000U-070	Red
A6	2	1597	8000U-050	Red
Amain	2	4659	DC 200	Red
Amain2	2	4689	DC 200	Red
Al	2	1117	8000U-090	Red
Amain3	2	4461	8000U-130	Red
b1	2	410	8000U-090	Red
b2	2	354	8000U-070	Red
b3	2	341	8000U-070	Red
b4	2	371	8000U-090	Red
b5	2	355	8000U-090	Red
b6	2	305	8000U-070	Red
b7	2	319	8000U-070	Red
b8	2	342	8000U-070	Red
b9	2	877	8000U-070	Red
b10	2	226	8000U-050	Red
b11	2	234	8000U-050	Red
b12	2	232	8000U-050	Red
b13	2	237	8000U-050	Red
b14	2	694	8000U-050	Red
b15	2	616	8000U-050	Red
B1	2	1711	8000U-130	Red
B2	2	1680	8000U-130	Red
B3	2	1606	8000U-130	Red
B4	2	1540	8000U-130	Red
B5	2	549	8000U-070	Red
B6	2	1571	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
Bmain	2	4581	DC 200	Red
Bmain2	2	4609	DC 200	Red
Bl	2	1105	8000U-090	Red
Bmain3	2	4386	8000U-130	Red
c1	2	517	8000U-070	Red
c2	2	454	8000U-050	Red
c3	2	413	8000U-050	Red
c4	2	451	8000U-050	Red
c5	2	346	8000U-050	Red
c6	2	288	8000U-050	Red
c7	2	305	8000U-050	Red
c8	2	333	8000U-050	Red
c9	2	818	8000U-050	Red
c10	2	221	8000U-050	Red
c11	2	231	8000U-050	Red
c12	2	226	8000U-050	Red
c13	2	237	8000U-050	Red
c14	2	663	8000U-050	Red
C1	2	1439	8000U-090	Red
C2	2	1439	8000U-090	Red
C3	2	1439	8000U-090	Red
C4	2	1363	8000U-090	Red
C5	2	479	8000U-070	Red
C6	2	1363	8000U-050	Red
Cmain	2	4957	8000U-190	Red
Cmain2	2	4987	8000U-190	Red
Cl	2	965	8000U-090	Red
Cmain3	2	4761	8000U-130	Red
ST1	2	524	8000U-070	Red
ST2	2	625	8000U-050	Red
STI	2	4784	8000U-090	Natural

Brake no.	Quantity	Length [mm]	material	colour
br1	2	773	8000U-050	Red
br2	2	465	8000U-050	Red
br3	2	570	8000U-050	Red
br4	2	494	8000U-050	Red
br5	2	572	8000U-050	Red
br6	2	413	8000U-050	Red
br7	2	411	8000U-050	Red
br8	2	458	8000U-050	Red
br9	2	368	8000U-050	Red
br10	2	367	8000U-050	Red
br11	2	206	8000U-050	Red
br12	2	329	8000U-050	Red
BR1	2	1537	8000U-050	Red
BR2	2	1189	8000U-050	Red
BR3	2	1124	8000U-050	Red
BR4	2	1042	8000U-050	Red
BR5	2	787	8000U-050	Red
BR6	2	977	8000U-050	Red
BRl	2	2825	8000U-090	Red
BRll	2	2640	8000U-090	Red
BRlll	2	2825	8000U-070	Red
BRmain	2	2740	989/1,5	Pink

Line material:

Edelrid 8000U-050
 Edelrid 8000U-070
 Edelrid 8000U-090
 Edelrid 8000U-130
 Edelrid 8000U-190
 Liros DC 200
 Cousin 989/1,5

total length	no. of lines
235282	200

Single Line Lengths

Glider Type: Kangri M (LTF/EN B)
Date: 02.03.2020

Line no.	Quantity	Length [mm]	material	colour
a1	2	409	8000U-090	Red
a2	2	356	8000U-070	Red
a3	2	345	8000U-070	Red
a4	2	371	8000U-090	Red
a5	2	354	8000U-090	Red
a6	2	304	8000U-070	Red
a7	2	318	8000U-070	Red
a8	2	335	8000U-070	Red
a9	2	899	8000U-070	Red
a10	2	239	8000U-050	Red
a11	2	240	8000U-050	Red
a12	2	241	8000U-050	Red
a13	2	242	8000U-050	Red
a14	2	690	8000U-050	Red
a15	2	635	8000U-050	Red
a16	2	636	8000U-050	Red
A1	2	1724	8000U-130	Red
A2	2	1691	8000U-130	Red
A3	2	1612	8000U-130	Red
A4	2	1537	8000U-130	Red
A5	2	554	8000U-070	Red
A6	2	1533	8000U-050	Red
Amain	2	4473	DC 200	Red
Amain2	2	4502	DC 200	Red
AI	2	1072	8000U-090	Red
Amain3	2	4283	8000U-130	Red
b1	2	406	8000U-090	Red
b2	2	352	8000U-070	Red
b3	2	339	8000U-070	Red
b4	2	367	8000U-090	Red
b5	2	352	8000U-090	Red
b6	2	303	8000U-070	Red
b7	2	316	8000U-070	Red
b8	2	337	8000U-070	Red
b9	2	849	8000U-070	Red
b10	2	224	8000U-050	Red
b11	2	230	8000U-050	Red
b12	2	228	8000U-050	Red
b13	2	233	8000U-050	Red
b14	2	672	8000U-050	Red
b15	2	595	8000U-050	Red
B1	2	1643	8000U-130	Red
B2	2	1613	8000U-130	Red
B3	2	1542	8000U-130	Red
B4	2	1478	8000U-130	Red
B5	2	527	8000U-070	Red
B6	2	1509	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
Bmain	2	4398	DC 200	Red
Bmain2	2	4425	DC 200	Red
BI	2	1061	8000U-090	Red
		0		
Bmain3	2	4211	8000U-130	Red
		0		
		80		
		0		
c1	2	512	8000U-070	Red
c2	2	451	8000U-050	Red
c3	2	412	8000U-050	Red
c4	2	447	8000U-050	Red
c5	2	346	8000U-050	Red
c6	2	290	8000U-050	Red
c7	2	305	8000U-050	Red
c8	2	331	8000U-050	Red
c9	2	797	8000U-050	Red
c10	2	223	8000U-050	Red
c11	2	231	8000U-050	Red
c12	2	225	8000U-050	Red
c13	2	235	8000U-050	Red
c14	2	643	8000U-050	Red
		0		
C1	2	1381	8000U-090	Red
C2	2	1381	8000U-090	Red
C3	2	1381	8000U-090	Red
C4	2	1309	8000U-090	Red
C5	2	459	8000U-070	Red
C6	2	1309	8000U-050	Red
		0		
Cmain	2	4758	8000U-190	Red
Cmain2	2	4787	8000U-190	Red
CI	2	927	8000U-090	Red
		0		
Cmain3	2	4571	8000U-130	Red
ST1	2	503	8000U-070	Red
ST2	2	600	8000U-050	Red
		0		
STI	2	4593	8000U-090	Natural

Brake no.	Quantity	Length [mm]	material	colour
br1	2	754	8000U-050	Red
br2	2	465	8000U-050	Red
br3	2	564	8000U-050	Red
br4	2	489	8000U-050	Red
br5	2	563	8000U-050	Red
br6	2	407	8000U-050	Red
br7	2	403	8000U-050	Red
br8	2	445	8000U-050	Red
br9	2	358	8000U-050	Red
br10	2	354	8000U-050	Red
br11	2	199	8000U-050	Red
br12	2	316	8000U-050	Red
		0		
BR1	2	1475	8000U-050	Red
BR2	2	1141	8000U-050	Red
BR3	2	1079	8000U-050	Red
BR4	2	1000	8000U-050	Red
BR5	2	756	8000U-050	Red
BR6	2	938	8000U-050	Red
		0		
BRI	2	2712	8000U-090	Red
BRII	2	2534	8000U-090	Red
BRIII	2	2712	8000U-070	Red
BRmain	2	2530	989/1,5	Pink

Line material:

- Edelrid 8000U-050
- Edelrid 8000U-070
- Edelrid 8000U-090
- Edelrid 8000U-130
- Edelrid 8000U-190
- Liros DC 200
- Cousin 989/1,5

total length	no. of lines
226972	200

Single Line Lengths

Glider Type: Kangri S (LTF/EN C)

Date: 02.03.2020

Line no.	Quantity	Length [mm]	material	colour
a1	2	363	8000U-090	Red
a2	2	312	8000U-070	Red
a3	2	300	8000U-070	Red
a4	2	325	8000U-090	Red
a5	2	307	8000U-090	Red
a6	2	260	8000U-070	Red
a7	2	272	8000U-070	Red
a8	2	289	8000U-070	Red
a9	2	821	8000U-070	Red
a10	2	196	8000U-050	Red
a11	2	200	8000U-050	Red
a12	2	199	8000U-050	Red
a13	2	202	8000U-050	Red
a14	2	620	8000U-050	Red
a15	2	567	8000U-050	Red
a16	2	571	8000U-050	Red
A1	2	1634	8000U-130	Red
A2	2	1603	8000U-130	Red
A3	2	1528	8000U-130	Red
A4	2	1457	8000U-130	Red
A5	2	525	8000U-070	Red
A6	2	1453	8000U-050	Red
Amain	2	4240	DC 200	Red
Amain2	2	4267	DC 200	Red
AI	2	1017	8000U-090	Red
Amain3	2	4060	8000U-130	Red
b1	2	352	8000U-090	Red
b2	2	300	8000U-070	Red
b3	2	285	8000U-070	Red
b4	2	312	8000U-090	Red
b5	2	296	8000U-090	Red
b6	2	250	8000U-070	Red
b7	2	261	8000U-070	Red
b8	2	282	8000U-070	Red
b9	2	765	8000U-070	Red
b10	2	173	8000U-050	Red
b11	2	182	8000U-050	Red
b12	2	178	8000U-050	Red
b13	2	185	8000U-050	Red
b14	2	602	8000U-050	Red
b15	2	534	8000U-050	Red
B1	2	1557	8000U-130	Red
B2	2	1529	8000U-130	Red
B3	2	1462	8000U-130	Red
B4	2	1401	8000U-130	Red
B5	2	499	8000U-070	Red
B6	2	1430	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
Bmain	2	4169	DC 200	Red
Bmain2	2	4194	DC 200	Red
BI	2	1006	8000U-090	Red
Bmain3	2	3991	8000U-130	Red
c1	2	469	8000U-070	Red
c2	2	410	8000U-050	Red
c3	2	371	8000U-050	Red
c4	2	405	8000U-050	Red
c5	2	300	8000U-050	Red
c6	2	247	8000U-050	Red
c7	2	260	8000U-050	Red
c8	2	286	8000U-050	Red
c9	2	725	8000U-050	Red
c10	2	182	8000U-050	Red
c11	2	193	8000U-050	Red
c12	2	185	8000U-050	Red
c13	2	197	8000U-050	Red
c14	2	575	8000U-050	Red
C1	2	1309	8000U-090	Red
C2	2	1309	8000U-090	Red
C3	2	1309	8000U-090	Red
C4	2	1241	8000U-090	Red
C5	2	436	8000U-070	Red
C6	2	1240	8000U-050	Red
Cmain	2	4510	8000U-190	Red
Cmain2	2	4538	8000U-190	Red
CI	2	878	8000U-090	Red
Cmain3	2	4333	8000U-130	Red
ST1	2	477	8000U-070	Red
ST2	2	569	8000U-050	Red
STI	2	4353	8000U-090	Natural

Brake no.	Quantity	Length [mm]	material	colour
br1	2	747	8000U-050	Red
br2	2	460	8000U-050	Red
br3	2	540	8000U-050	Red
br4	2	470	8000U-050	Red
br5	2	506	8000U-050	Red
br6	2	346	8000U-050	Red
br7	2	336	8000U-050	Red
br8	2	391	8000U-050	Red
br9	2	315	8000U-050	Red
br10	2	323	8000U-050	Red
br11	2	178	8000U-050	Red
br12	2	296	8000U-050	Red
BR1	2	1398	8000U-050	Red
BR2	2	1082	8000U-050	Red
BR3	2	1023	8000U-050	Red
BR4	2	948	8000U-050	Red
BR5	2	716	8000U-050	Red
BR6	2	889	8000U-050	Red
BRI	2	2571	8000U-090	Red
BRII	2	2402	8000U-090	Red
BRIII	2	2571	8000U-070	Red
BRmain	2	2400	989/1,5	Pink

Line material:

Edelrid 8000U-050
 Edelrid 8000U-070
 Edelrid 8000U-090
 Edelrid 8000U-130
 Edelrid 8000U-190
 Liros DC 200
 Cousin 989/1,5

total length	no. of lines
211996	200