

# Line Check Sheet for Paragliders

# Piece Check

Glider Type: XG58 Trango X Race S (LTF/EN D)	Serial No.:
Rev. No.: 3	Date: 25.04.2017

### Line lengths [mm]

R. No.	Area A										Area B										Area C												
	Nom.	Left			Right				Nom.	Left			Right				Nom.	Left			Right												
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
3	6715											6540											6727										
5	6634											6459											6644										
8	6593											6419											6601										
10	6626											6455											6636										
14	6502											6339											6521										
16	6426											6268											6449										
19	6365											6215											6388										
21	6392											6249											6427										
24	6210											6108											6247										
26	6121											6032											6168										
28	6053											5980											6107										
29	6054											5982											6112										
32	5783											5777											5818										
33	5738																																
34	5741																						5793										

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area D										Brake										rib no. brakes		
	Nom.	Left			Right				Nom.	Left			Right										
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	
3												7214											3-4
5												6967											6-7
8												6841											9-10
10												6861											12-13
14												6691											16-17
16												6569											18-19
19												6467											21-22
21												6508											23-24
24												6383											26-27
26												6356											28-29
28												6393											31
29												6558											33-34
32																							
33																							
34																							

brakes measured inkl. 10cm-loop

Loops on Quick link		Loop Index MTS
Factory setting		
A1	--	0
A2	--	0
A3	--	0
B1	--	0
B2	--	0
B3	--	0
C1	Round turn	1
C2	Round turn	1
C3	Round turn	1
STI	Round turn	1

### Single Line Lengths

Glider Type: XG58 Trango X Race S (LTF/EN D)  
Rev. No.: 3

Serial No.:  
Date: 25.04.2017

Line no.	Quantity	Length [mm]	material	colour
a1	2	764	8000U-090	Red
a2	2	683	8000U-070	Red
a3	2	689	8000U-070	Red
a4	2	722	8000U-090	Red
a5	2	645	8000U-090	Red
a6	2	568	8000U-070	Red
a7	2	553	8000U-070	Red
a8	2	580	8000U-090	Red
a9	2	492	8000U-070	Red
a10	2	403	8000U-070	Red
a11	2	196	8000U-050	Red
a12	2	196	8000U-050	Red
a13	2	467	8000U-050	Red
a14	2	422	8000U-050	Red
a15	2	426	8000U-050	Red
b1	2	669	8000U-090	Red
b2	2	589	8000U-070	Red
b3	2	595	8000U-070	Red
b4	2	630	8000U-090	Red
b5	2	561	8000U-090	Red
b6	2	490	8000U-070	Red
b7	2	484	8000U-070	Red
b8	2	518	8000U-090	Red
b9	2	465	8000U-070	Red
b10	2	388	8000U-070	Red
b11	2	197	8000U-050	Red
b12	2	200	8000U-050	Red
b13	2	461	8000U-050	Red
c1	2	599	8000U-090	Red
c2	2	515	8000U-070	Red
c3	2	518	8000U-070	Red
c4	2	554	8000U-090	Red
c5	2	486	8000U-090	Red
c6	2	413	8000U-070	Red
c7	2	399	8000U-070	Red
c8	2	438	8000U-090	Red
c9	2	397	8000U-070	Red
c10	2	317	8000U-070	Red
c11	2	181	8000U-050	Red
c12	2	187	8000U-050	Red
c13	2	502	8000U-050	Red
c14	2	477	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1488	8000U-130	Red
A2	2	1441	8000U-130	Red
A3	2	1395	8000U-130	Red
A4	2	1348	8000U-130	Red
A5	2	790	8000U-130	Red
A6	2	930	8000U-070	Red
B1	2	1488	8000U-130	Red
B2	2	1441	8000U-130	Red
B3	2	1395	8000U-130	Red
B4	2	1348	8000U-130	Red
B5	2	790	8000U-130	Red
B6	2	930	8000U-070	Red
C1	2	1488	8000U-130	Red
C2	2	1441	8000U-130	Red
C3	2	1395	8000U-130	Red
C4	2	1348	8000U-130	Red
C5	2	744	8000U-130	Red
C6	2	818	8000U-070	Red
Amain	2	4463	DC 200	Red
Amain2	2	4463	DC 200	Red
Amain3	2	4928	8000U-130	Red
Bmain	2	4463	DC 200	Red
Bmain2	2	4463	DC 200	Red
Bmain3	2	4928	8000U-130	Red
Cmain	2	4649	8000U-230	Red
Cmain2	2	4649	8000U-230	Red
Cmain3	2	5114	8000U-130	Red
ST1	2	604	8000U-070	Red
ST2	2	604	8000U-070	Red
STI	2	4718	8000U-090	Natural

Brake no.	Quantity	Length [mm]	material	colour
br1	2	908	8000U-050	Red
br2	2	661	8000U-050	Red
br3	2	721	8000U-050	Red
br4	2	741	8000U-050	Red
br5	2	524	8000U-050	Red
br6	2	403	8000U-050	Red
br7	2	394	8000U-050	Red
br8	2	434	8000U-050	Red
br9	2	393	8000U-050	Red
br10	2	366	8000U-050	Red
br11	2	199	8000U-050	Red
br12	2	364	8000U-050	Red
BR1	2	1441	8000U-070	Red
BR2	2	1255	8000U-070	Red
BR3	2	1023	8000U-050	Red
BR4	2	930	8000U-050	Red
BR5	2	614	8000U-050	Red
BR6	2	818	8000U-050	Red
BR1	2	3673	8000U-090	Red
BR1I	2	1720	8000U-070	Red
BR1II	2	1953	8000U-070	Red
BR1II	2	2232	8000U-090	Red
Brmain	2	1192	989/1,5	Pink

**Line material:**

Liros DC 200  
Edelrid 8000U-050  
Edelrid 8000U-070  
Edelrid 8000U-090  
Edelrid 8000U-130  
Edelrid 8000U-230  
Cousin 989/1,5

total length	no. of lines
226118	190

# Line Check Sheet for Paragliders

# Piece Check

Glider Type: XG58 Trango X Race SM (LTF/EN C)	Serial No.:
Rev. No.: 3	Date: 25.04.2017

### Line lengths [mm]

R. No.	Area A										Area B										Area C												
	Nom.	Left			Right				Nom.	Left			Right				Nom.	Left			Right												
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
3	6947											6775											6964										
5	6865											6693											6878										
8	6824											6652											6835										
10	6858											6689											6872										
14	6732											6564											6747										
16	6653											6489											6672										
19	6590											6435											6612										
21	6617											6471											6653										
24	6431											6329											6475										
26	6339											6249											6395										
28	6269											6195											6332										
29	6269											6197											6338										
32	5994											5989											6032										
33	5948																																
34	5950																						6004										

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area D										Brake										rib no. brakes		
	Nom.	Left			Right				Nom.	Left			Right										
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	
3												7449											3-4
5												7194											6-7
8												7066											9-10
10												7087											12-13
14												6913											16-17
16												6789											18-19
19												6684											21-22
21												6726											23-24
24												6598											26-27
26												6571											28-29
28												6609											31
29												6778											33-34
32																							
33																							
34																							

brakes measured inkl. 10cm-loop

Loops on Quick link		Loop Index MTS
Factory setting		
A1	--	0
A2	--	0
A3	--	0
B1	--	0
B2	--	0
B3	--	0
C1	Round turn	1
C2	Round turn	1
C3	Round turn	1
STI	Round turn	1

### Single Line Lengths

Glider Type: XG58 Trango X Race SM (LTF/EN C)  
Rev. No.: 3

Serial No.:  
Date: 25.04.2017

Line no.	Quantity	Length [mm]	material	colour
a1	2	803	8000U-090	Red
a2	2	721	8000U-070	Red
a3	2	728	8000U-070	Red
a4	2	762	8000U-090	Red
a5	2	684	8000U-090	Red
a6	2	605	8000U-070	Red
a7	2	590	8000U-070	Red
a8	2	617	8000U-090	Red
a9	2	527	8000U-070	Red
a10	2	435	8000U-070	Red
a11	2	221	8000U-050	Red
a12	2	221	8000U-050	Red
a13	2	503	8000U-050	Red
a14	2	457	8000U-050	Red
a15	2	459	8000U-050	Red
b1	2	711	8000U-090	Red
b2	2	629	8000U-070	Red
b3	2	636	8000U-070	Red
b4	2	673	8000U-090	Red
b5	2	596	8000U-090	Red
b6	2	521	8000U-070	Red
b7	2	515	8000U-070	Red
b8	2	551	8000U-090	Red
b9	2	500	8000U-070	Red
b10	2	420	8000U-070	Red
b11	2	222	8000U-050	Red
b12	2	224	8000U-050	Red
b13	2	498	8000U-050	Red
c1	2	636	8000U-090	Red
c2	2	550	8000U-070	Red
c3	2	555	8000U-070	Red
c4	2	592	8000U-090	Red
c5	2	515	8000U-090	Red
c6	2	440	8000U-070	Red
c7	2	428	8000U-070	Red
c8	2	469	8000U-090	Red
c9	2	434	8000U-070	Red
c10	2	354	8000U-070	Red
c11	2	214	8000U-050	Red
c12	2	220	8000U-050	Red
c13	2	541	8000U-050	Red
c14	2	513	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1536	8000U-130	Red
A2	2	1488	8000U-130	Red
A3	2	1440	8000U-130	Red
A4	2	1392	8000U-130	Red
A5	2	816	8000U-130	Red
A6	2	960	8000U-070	Red
B1	2	1536	8000U-130	Red
B2	2	1488	8000U-130	Red
B3	2	1440	8000U-130	Red
B4	2	1392	8000U-130	Red
B5	2	816	8000U-130	Red
B6	2	960	8000U-070	Red
C1	2	1536	8000U-130	Red
C2	2	1488	8000U-130	Red
C3	2	1440	8000U-130	Red
C4	2	1392	8000U-130	Red
C5	2	768	8000U-130	Red
C6	2	845	8000U-070	Red
Amain	2	4608	DC 200	Red
Amain2	2	4608	DC 200	Red
Amain3	2	5088	8000U-130	Red
Bmain	2	4528	DC 200	Red
Bmain2	2	4528	DC 200	Red
Bmain3	2	5013	8000U-130	Red
Cmain	2	4800	8000U-230	Red
Cmain2	2	4800	8000U-230	Red
Cmain3	2	5280	8000U-130	Red
ST1	2	624	8000U-070	Red
ST2	2	624	8000U-070	Red
STI	2	4874	8000U-090	Yellow

Brake no.	Quantity	Length [mm]	material	colour
br1	2	939	8000U-050	Red
br2	2	684	8000U-050	Red
br3	2	748	8000U-050	Red
br4	2	769	8000U-050	Red
br5	2	547	8000U-050	Red
br6	2	423	8000U-050	Red
br7	2	414	8000U-050	Red
br8	2	456	8000U-050	Red
br9	2	415	8000U-050	Red
br10	2	387	8000U-050	Red
br11	2	215	8000U-050	Red
br12	2	384	8000U-050	Red
BR1	2	1488	8000U-070	Red
BR2	2	1296	8000U-070	Red
BR3	2	1056	8000U-050	Red
BR4	2	960	8000U-050	Red
BR5	2	634	8000U-050	Red
BR6	2	845	8000U-050	Red
BR1	2	3792	8000U-090	Grey
BR11	2	1776	8000U-070	Red
BR111	2	2016	8000U-070	Red
BR111	2	2304	8000U-090	Grey
Brmain	2	1230	989/1,5	Pink

**Line material:**

Liros DC 200  
Edelrid 8000U-050  
Edelrid 8000U-070  
Edelrid 8000U-090  
Edelrid 8000U-130  
Edelrid 8000U-230  
Cousin 989/1,5

total length	no. of lines
234752	190

# Line Check Sheet for Paragliders

# Piece Check

Glider Type: XG58 Trango X Race M (LTF/EN C)	Serial No.:
Rev. No.: 3	Date: 25.04.2017

### Line lengths [mm]

R. No.	Area										Nom.	Area										Nom.	Area										Nom.
	A					B						C					A						B					C					
	Nom.	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	Nom.	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	Nom.	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm
3	7232										7050												7250										
5	7147										6965												7162										
8	7105										6924												7117										
10	7141										6963												7157										
14	7003										6837												7025										
16	6922										6762												6948										
19	6858										6707												6885										
21	6886										6743												6926										
24	6687										6586												6739										
26	6592										6503												6652										
28	6523										6448												6588										
29	6523										6450												6590										
32	6240										6235												6280										
33	6192																																
34	6194																						6252										

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area										Nom.	Brake										rib no. brakes											
	D					Left						Right					Left						Right										
	Nom.	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	Nom.	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	Nom.	-20 mm	-10 mm	0 mm	+10 mm	+20 mm					
3												7759																				3-4	
5												7496																				6-7	
8												7364																				9-10	
10												7387																				12-13	
14												7208																				16-17	
16												7079																				18-19	
19												6972																				21-22	
21												7015																				23-24	
24												6884																				26-27	
26												6855																				28-29	
28												6895																				31	
29												7070																				33-34	
32																																	
33																																	
34																																	

brakes measured inkl. 10cm-loop

Loops on Quick link		Loop Index MTS
Factory setting		
A1	--	0
A2	--	0
A3	--	0
B1	--	0
B2	--	0
B3	--	0
C1	Round turn	1
C2	Round turn	1
C3	Round turn	1
STI	Round turn	1

### Single Line Lengths

Glider Type: XG58 Trango X Race M (LTF/EN C)  
Rev. No.: 3

Serial No.:  
Date: 25.04.2017

Line no.	Quantity	Length [mm]	material	colour
a1	2	832	8000U-090	Red
a2	2	747	8000U-070	Red
a3	2	755	8000U-070	Red
a4	2	791	8000U-090	Red
a5	2	703	8000U-090	Red
a6	2	622	8000U-070	Red
a7	2	608	8000U-070	Red
a8	2	636	8000U-090	Red
a9	2	537	8000U-070	Red
a10	2	442	8000U-070	Red
a11	2	223	8000U-050	Red
a12	2	223	8000U-050	Red
a13	2	517	8000U-050	Red
a14	2	469	8000U-050	Red
a15	2	471	8000U-050	Red
b1	2	730	8000U-090	Red
b2	2	645	8000U-070	Red
b3	2	654	8000U-070	Red
b4	2	693	8000U-090	Red
b5	2	617	8000U-090	Red
b6	2	542	8000U-070	Red
b7	2	537	8000U-070	Red
b8	2	573	8000U-090	Red
b9	2	511	8000U-070	Red
b10	2	428	8000U-070	Red
b11	2	223	8000U-050	Red
b12	2	225	8000U-050	Red
b13	2	512	8000U-050	Red
c1	2	658	8000U-090	Red
c2	2	570	8000U-070	Red
c3	2	575	8000U-070	Red
c4	2	615	8000U-090	Red
c5	2	533	8000U-090	Red
c6	2	456	8000U-070	Red
c7	2	443	8000U-070	Red
c8	2	484	8000U-090	Red
c9	2	446	8000U-070	Red
c10	2	359	8000U-070	Red
c11	2	215	8000U-050	Red
c12	2	217	8000U-050	Red
c13	2	557	8000U-050	Red
c14	2	529	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1600	8000U-130	Red
A2	2	1550	8000U-130	Red
A3	2	1500	8000U-130	Red
A4	2	1450	8000U-130	Red
A5	2	850	8000U-130	Red
A6	2	1000	8000U-070	Red
B1	2	1600	8000U-130	Red
B2	2	1550	8000U-130	Red
B3	2	1500	8000U-130	Red
B4	2	1450	8000U-130	Red
B5	2	850	8000U-130	Red
B6	2	1000	8000U-070	Red
C1	2	1600	8000U-130	Red
C2	2	1550	8000U-130	Red
C3	2	1500	8000U-130	Red
C4	2	1450	8000U-130	Red
C5	2	800	8000U-130	Red
C6	2	880	8000U-070	Red
Amain	2	4800	DC 200	Red
Amain2	2	4800	DC 200	Red
Amain3	2	5300	8000U-130	Red
Bmain	2	4720	DC 200	Red
Bmain2	2	4720	DC 200	Red
Bmain3	2	5225	8000U-130	Red
Cmain	2	5000	8000U-230	Red
Cmain2	2	5000	8000U-230	Red
Cmain3	2	5500	8000U-130	Red
ST1	2	650	8000U-070	Red
ST2	2	650	8000U-070	Red
STI	2	5080	8000U-090	Natural

Brake no.	Quantity	Length [mm]	material	colour
br1	2	979	8000U-050	Red
br2	2	716	8000U-050	Red
br3	2	784	8000U-050	Red
br4	2	807	8000U-050	Red
br5	2	578	8000U-050	Red
br6	2	449	8000U-050	Red
br7	2	442	8000U-050	Red
br8	2	485	8000U-050	Red
br9	2	444	8000U-050	Red
br10	2	415	8000U-050	Red
br11	2	235	8000U-050	Red
br12	2	410	8000U-050	Red
BR1	2	1550	8000U-070	Red
BR2	2	1350	8000U-070	Red
BR3	2	1100	8000U-050	Red
BR4	2	1000	8000U-050	Red
BR5	2	660	8000U-050	Red
BR6	2	880	8000U-050	Red
BR1	2	3950	8000U-090	Red
BR1I	2	1850	8000U-070	Red
BR1II	2	2100	8000U-070	Red
BR1II	2	2400	8000U-090	Red
Brmain	2	1280	989/1,5	Pink

**Line material:**

Liros DC 200  
Edelrid 8000U-050  
Edelrid 8000U-070  
Edelrid 8000U-090  
Edelrid 8000U-130  
Edelrid 8000U-230  
Cousin 989/1,5

total length	no. of lines
244224	190

# Line Check Sheet for Paragliders

# Piece Check

Glider Type: XG58 Trango X Race L (LTF/EN C)	Serial No.:
Rev. No.: 3	Date: 25.04.2017

### Line lengths [mm]

R. No.	Area A										Area B										Area C														
	Nom.	Left			Right				Nom.	Left			Right				Nom.	Left			Right														
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		
3	7522											7338												7541											
5	7434											7250												7450											
8	7391											7207												7405											
10	7429											7249												7446											
14	7292											7120												7312											
16	7208											7042												7232											
19	7142											6985												7167											
21	7172											7023												7210											
24	6965											6860												7017											
26	6866											6774												6926											
28	6792											6717												6860											
29	6793											6719												6862											
32	6503											6497												6545											
33	6453																							6515											
34	6455																																		

Total line length in cm from riser quick link to canopy including line loops, following DHV measuring method. Line load is 5 daN.

Rib numbering starts in the center of the wing. Wing sides in flight direction, seen from top.

Measurements are rounded to the next 0,5 cm. Please mark measurements relative to nominal by crossing X

R. No.	Area D										Brake										rib no. brakes		
	Nom.	Left			Right				Nom.	Left			Right										
		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm		-20 mm	-10 mm	0 mm	+10 mm	+20 mm	-20 mm	-10 mm	0 mm	+10 mm	+20 mm	
3												8069											3-4
5												7797											6-7
8												7661											9-10
10												7687											12-13
14												7503											16-17
16												7370											18-19
19												7260											21-22
21												7305											23-24
24												7170											26-27
26												7140											28-29
28												7182											31
29												7362											33-34
32																							
33																							
34																							

brakes measured inkl. 10cm-loop

Loops on Quick link		Loop Index MTS
Factory setting		
A1	--	0
A2	--	0
A3	--	0
B1	--	0
B2	--	0
B3	--	0
C1	Round turn	1
C2	Round turn	1
C3	Round turn	1
STI	Round turn	1

### Single Line Lengths

Glider Type: XG58 Trango X Race L (LTF/EN C)  
Rev. No.: 3

Serial No.:  
Date: 25.04.2017

Line no.	Quantity	Length [mm]	material	colour
a1	2	866	8000U-090	Red
a2	2	778	8000U-070	Red
a3	2	787	8000U-070	Red
a4	2	825	8000U-090	Red
a5	2	740	8000U-090	Red
a6	2	656	8000U-070	Red
a7	2	642	8000U-070	Red
a8	2	672	8000U-090	Red
a9	2	569	8000U-070	Red
a10	2	470	8000U-070	Red
a11	2	240	8000U-050	Red
a12	2	241	8000U-050	Red
a13	2	548	8000U-050	Red
a14	2	498	8000U-050	Red
a15	2	500	8000U-050	Red
b1	2	762	8000U-090	Red
b2	2	674	8000U-070	Red
b3	2	683	8000U-070	Red
b4	2	725	8000U-090	Red
b5	2	648	8000U-090	Red
b6	2	570	8000U-070	Red
b7	2	565	8000U-070	Red
b8	2	603	8000U-090	Red
b9	2	539	8000U-070	Red
b10	2	453	8000U-070	Red
b11	2	240	8000U-050	Red
b12	2	242	8000U-050	Red
b13	2	542	8000U-050	Red
c1	2	685	8000U-090	Red
c2	2	594	8000U-070	Red
c3	2	601	8000U-070	Red
c4	2	642	8000U-090	Red
c5	2	560	8000U-090	Red
c6	2	480	8000U-070	Red
c7	2	467	8000U-070	Red
c8	2	510	8000U-090	Red
c9	2	472	8000U-070	Red
c10	2	381	8000U-070	Red
c11	2	232	8000U-050	Red
c12	2	234	8000U-050	Red
c13	2	590	8000U-050	Red
c14	2	560	8000U-050	Red

Line no.	Quantity	Length [mm]	material	colour
A1	2	1664	8000U-130	Red
A2	2	1612	8000U-130	Red
A3	2	1560	8000U-130	Red
A4	2	1508	8000U-130	Red
A5	2	884	8000U-130	Red
A6	2	1040	8000U-070	Red
B1	2	1664	8000U-130	Red
B2	2	1612	8000U-130	Red
B3	2	1560	8000U-130	Red
B4	2	1508	8000U-130	Red
B5	2	884	8000U-130	Red
B6	2	1040	8000U-070	Red
C1	2	1664	8000U-130	Red
C2	2	1612	8000U-130	Red
C3	2	1560	8000U-130	Red
C4	2	1508	8000U-130	Red
C5	2	832	8000U-130	Red
C6	2	915	8000U-070	Red
Amain	2	4992	DC 200	Red
Amain2	2	4992	DC 200	Red
Amain3	2	5512	8000U-130	Red
Bmain	2	4912	DC 200	Red
Bmain2	2	4912	DC 200	Red
Bmain3	2	5437	8000U-130	Red
Cmain	2	5200	8000U-230	Red
Cmain2	2	5200	8000U-230	Red
Cmain3	2	5720	8000U-130	Red
ST1	2	676	8000U-070	Red
ST2	2	676	8000U-070	Red
STI	2	5286	8000U-090	Natural

Brake no.	Quantity	Length [mm]	material	colour
br1	2	1019	8000U-050	Red
br2	2	747	8000U-050	Red
br3	2	819	8000U-050	Red
br4	2	845	8000U-050	Red
br5	2	609	8000U-050	Red
br6	2	476	8000U-050	Red
br7	2	469	8000U-050	Red
br8	2	515	8000U-050	Red
br9	2	473	8000U-050	Red
br10	2	444	8000U-050	Red
br11	2	257	8000U-050	Red
br12	2	436	8000U-050	Red
BR1	2	1612	8000U-070	Red
BR2	2	1404	8000U-070	Red
BR3	2	1144	8000U-050	Red
BR4	2	1040	8000U-050	Red
BR5	2	686	8000U-050	Red
BR6	2	915	8000U-050	Red
BR1	2	4108	8000U-090	Grey
BR11	2	1924	8000U-070	Red
BR111	2	2184	8000U-070	Red
BR111	2	2496	8000U-090	Grey
Brmain	2	1330	989/1,5	Pink

**Line material:**

Liros DC 200  
Edelrid 8000U-050  
Edelrid 8000U-070  
Edelrid 8000U-090  
Edelrid 8000U-130  
Edelrid 8000U-230  
Cousin 989/1,5

total length	no. of lines
254760	190