

Line Sheet

Single Line Lengths



Glider Type: Trango XC S (xg42S)
Rev. No.: 3 -30.04.2010

Line no.	g D	Length [mm]	Material	mark STC	colour	Line no.	g D	Length [mm]	Material	colour	Line no.	g D	Length [mm]	Material	HS*	colour
ao1	2	2110	LTC80	1905	red						A1	2	5020	LTC160	-10	red
ao2	2	2030	LTC80		red											
ao3	2	2045	LTC80		red											
ao4	2	1395	LTC80	1195	red											
ao5	2	1295	LTC80		red	aou1	4	1185	LTC120	red	A2	2	4475	LTC160	-15	red
ao6	2	1260	LTC80		red											
ao7	2	1285	LTC80		red											
ao8	2	1180	LTC65	980	red											
ao9	2	1050	LTC65		red	aou2	4	1185	LTC80	red	A3	2	4475	LTC120	-15	red
ao10	2	960	LTC65		red											
ao11	2	900	LTC65		red											
ao12	2	890	LTC65		red											
ao13	2	790	LTC65		red								5480		-10	
ao14	2	725	LTC65		red											

bo1	2	2055	LTC80	1905	red						B1	2	5020	LTC160	-10	red
bo2	2	1970	LTC80		red											
bo3	2	1995	LTC80		red											
bo4	2	1345	LTC80	1195	red	bou1	4	1185	LTC120	red	B2	2	4475	LTC160	-15	red
bo5	2	1250	LTC80		red											
bo6	2	1215	LTC80		red											
bo7	2	1250	LTC80		red											
bo8	2	1130	LTC65	980	red											
bo9	2	1010	LTC65		red	bou2	4	1185	LTC80	red	B3	2	4475	LTC120	-15	red
bo10	2	925	LTC65		red											
bo11	2	870	LTC65		red											
bo12	2	765	LTC65		red								5480		-10	

co1	2	2170	LTC65	1905	red						C1*	2	5030	LTC120	-20	red
co2	2	2090	LTC65		red											
co3	2	2100	LTC65		red											
co4	2	1450	LTC65	1195	red											
co5	2	1350	LTC65		red	cou1	4	1185	LTC80	red	C2*	2	4485	LTC120	-25	red
co6	2	1310	LTC65		red											
co7	2	1330	LTC65		red											
co8	2	1205	LTC65	980	red											
co9	2	1070	LTC65		red	cou2	4	1185	LTC80	red	C3	2	4475	LTC120	-15	red
co10	2	970	LTC65		red											
co11	2	900	LTC65		red											
co12	2	815	LTC65		red						stabi-main	2	5480	LTC120	-10	green
co13	2	765	LTC65		red											

BTS*

brk1	2	1145	LTC65		red											
brk2	2	1035	LTC65		red											
brk3	2	955	LTC65		red	brkou1	6	1915	LTC80	red					0	
brk4	2	895	LTC65		red											
brk5	2	865	LTC65		red											
brk6	2	860	LTC65		red											
brk7	2	1235	LTC65		red						brkuu	6	2740	LTC120		red
brk8	2	1110	LTC65		red	brkou2	4	1370	LTC80	red						
brk9	2	1050	LTC65		red											
brk10	2	1045	LTC65		red											
brk11	2	1105	LTC65		red										90	
brk12	2	975	LTC65		red											
brk13	2	865	LTC65		red	brkou3	4	1185	LTC80	red						
brk14	2	785	LTC65		red											

HS*

Brk-main	2	2010	979 1,5	-20	red
----------	---	------	---------	-----	-----

HS* = reduction of total length due to HandShakes

BTS* = loop extension of BTS (brake tension system)

* = doubleloop the main lines C1 and C2 at the maillon rapide according to specs

line material:

LIROS LTC65 - LTC80 - LTC120 - LTC160
Cousin 979 1,5mm

www.up-paragliders.com

UP International GMBH, Kreuzeckbahnstraße 7, D-82467 Garmisch - GERMANY

PHONE: +49 (0) 8821 73099-0 FAX: +49 (0) 8821 73099-16 E-mail: info@up-paragliders.com



Line Sheet

Single Line Lengths



Glider Type: xg42SM
Rev. No.: 3 - 28.01.2010

Line no.	g D	Length [mm]	Material	mark STC	colour	Line no.	g D	Length [mm]	Material	colour	Line no.	g D	Length [mm]	Material	HS*	colour
ao1	2	2215	LTC80	2160	red						A1	2	5270	LTC160	-10	red
ao2	2	2130	LTC80		red											
ao3	2	2145	LTC80		red											
ao4	2	1465	LTC80	1385	red											
ao5	2	1360	LTC80		red	aou1	4	1245	LTC120	red	A2	2	4695	LTC160	-15	red
ao6	2	1320	LTC80		red											
ao7	2	1350	LTC80		red											
ao8	2	1235	LTC65	1145	red											
ao9	2	1100	LTC65		red	aou2	4	1245	LTC80	red	A3	2	4695	LTC120	-15	red
ao10	2	1005	LTC65		red											
ao11	2	945	LTC65		red											
ao12	2	935	LTC65		red											
ao13	2	830	LTC65		red								5750		-10	
ao14	2	760	LTC65		red											

bo1	2	2155	LTC80	2160	red						B1	2	5270	LTC160	-10	red
bo2	2	2070	LTC80		red											
bo3	2	2095	LTC80		red											
bo4	2	1415	LTC80	1385	red											
bo5	2	1310	LTC80		red	bou1	4	1245	LTC120	red	B2	2	4695	LTC160	-15	red
bo6	2	1275	LTC80		red											
bo7	2	1310	LTC80		red											
bo8	2	1195	LTC65	1145	red											
bo9	2	1065	LTC65		red	bou2	4	1245	LTC80	red	B3	2	4695	LTC120	-15	red
bo10	2	975	LTC65		red											
bo11	2	920	LTC65		red											
bo12	2	805	LTC65		red								5750		-10	

co1	2	2285	LTC65	2160	red											
co2	2	2205	LTC65		red						C1*	2	5280	LTC120	-20	red
co3	2	2215	LTC65		red											
co4	2	1535	LTC65	1385	red											
co5	2	1430	LTC65		red	cou1	4	1245	LTC80	red	C2*	2	4705	LTC120	-25	red
co6	2	1385	LTC65		red											
co7	2	1410	LTC65		red											
co8	2	1265	LTC65	1145	red											
co9	2	1120	LTC65		red	cou2	4	1245	LTC80	red	C3	2	4695	LTC120	-15	red
co10	2	1020	LTC65		red											
co11	2	945	LTC65		red											
co12	2	855	LTC65		red						stabi-main	2	5750	LTC120	-10	green
co13	2	805	LTC65		red											

BTS*

brk1	2	1205	LTC65		red											
brk2	2	1090	LTC65		red											
brk3	2	1000	LTC65		red											
brk4	2	940	LTC65		red	brkou1	6	2010	LTC80	red					0	
brk5	2	905	LTC65		red											
brk6	2	900	LTC65		red											
brk7	2	1295	LTC65		red											
brk8	2	1165	LTC65		red						brkuu	6	2875	LTC120		red
brk9	2	1100	LTC65		red	brkou2	4	1435	LTC80	red						
brk10	2	1095	LTC65		red											
brk11	2	1160	LTC65		red										90	
brk12	2	1025	LTC65		red											
brk13	2	910	LTC65		red	brkou3	4	1245	LTC80	red						
brk14	2	825	LTC65		red											

HS*

Brk-main	2	2110	979 1,5	-20	red
----------	---	------	---------	-----	-----

HS* = reduction of total length due to HandShakes

BTS* = loop extension of BTS (brake tension system)

* = doubleloop the main lines C1 and C2 at the maillon rapide according to specs

line material:

LIROS LTC65 - LTC80 - LTC120 - LTC160
Cousin 979 1,5mm

www.up-paragliders.com

UP International GMBH, Kreuzeckbahnstraße 7, D-82467 Garmisch - GERMANY

PHONE: +49 (0) 8821 73099-0 FAX: +49 (0) 8821 73099-16 E-mail: info@up-paragliders.com



Line Sheet
Single Line Lengths



Glider Type: **Trango XC M (xg42)**
Rev. No.: 3 - 28.01.2010

Line no.	PCS	Length [mm]	Material	mark STC	colour	Line no.	PCS	Length [mm]	Material	colour	Line no.	PCS	Length [mm]	Material	HS*	colour
ao1	2	2300	LTC80	2095	red						A1	2	5500	LTC160	-10	red
ao2	2	2215	LTC80		red											
ao3	2	2230	LTC80		red											
ao4	2	1520	LTC80	1320	red											
ao5	2	1415	LTC80		red	aou1	4	1300	LTC120	red	A2	2	4900	LTC160	-15	red
ao6	2	1375	LTC80		red											
ao7	2	1405	LTC80		red											
ao8	2	1290	LTC65	1095	red	aou2	4	1300	LTC80	red	A3	2	4900	LTC120	-15	red
ao9	2	1150	LTC65		red											
ao10	2	1055	LTC65		red											
ao11	2	985	LTC65		red											
ao12	2	975	LTC65		red											
ao13	2	865	LTC65		red								6000		-20	
ao14	2	795	LTC65		red											

bo1	2	2245	LTC80	2095	red						B1	2	5500	LTC160	-10	red
bo2	2	2155	LTC80		red											
bo3	2	2180	LTC80		red											
bo4	2	1470	LTC80	1320	red	bou1	4	1300	LTC120	red	B2	2	4900	LTC160	-15	red
bo5	2	1365	LTC80		red											
bo6	2	1325	LTC80		red											
bo7	2	1365	LTC80		red											
bo8	2	1245	LTC65	1095	red	bou2	4	1300	LTC80	red	B3	2	4900	LTC120	-15	red
bo9	2	1110	LTC65		red											
bo10	2	1020	LTC65		red											
bo11	2	960	LTC65		red											
bo12	2	840	LTC65		red								6000		-20	

co1	2	2385	LTC65	2095	red						C1*	2	5510	LTC120	-20	red
co2	2	2300	LTC65		red											
co3	2	2310	LTC65		red											
co4	2	1600	LTC65	1320	red											
co5	2	1490	LTC65		red	cou1	4	1300	LTC80	red	C2*	2	4910	LTC120	-25	red
co6	2	1445	LTC65		red											
co7	2	1470	LTC65		red											
co8	2	1320	LTC65	1095	red											
co9	2	1170	LTC65		red	cou2	4	1300	LTC80	red	C3	2	4900	LTC120	-15	red
co10	2	1065	LTC65		red											
co11	2	985	LTC65		red											
co12	2	890	LTC65		red						stabi-main	2	6000	LTC120	-20	green
co13	2	840	LTC65		red											

BTS*

brk1	2	1255	LTC65		red											
brk2	2	1135	LTC65		red											
brk3	2	1045	LTC65		red	brkou1	6	2100	LTC80	red					0	
brk4	2	980	LTC65		red											
brk5	2	945	LTC65		red											
brk6	2	940	LTC65		red											
brk7	2	1350	LTC65		red						brkuu	6	3000	LTC120		red
brk8	2	1215	LTC65		red	brkou2	4	1500	LTC80	red						
brk9	2	1150	LTC65		red											
brk10	2	1145	LTC65		red											
brk11	2	1210	LTC65		red											
brk12	2	1070	LTC65		red	brkou3	4	1300	LTC80	red					100	
brk13	2	950	LTC65		red											
brk14	2	860	LTC65		red											

HS*

Brk-main	2	2200	979 1,5	-25	red
----------	---	------	---------	-----	-----

HS* = reduction of total length due to HandShakes

BTS* = loop extension of BTS (brake tension system)

* = doubleloop the main lines C1 and C2 at the maillon rapide according to specs

line material:

LIROS LTC65 - LTC80 - LTC120 - LTC160

Cousin 979 1,5mm

www.up-paragliders.com

UP International GMBH, Kreuzeckbahnstraße 7, D-82467 Garmisch - GERMANY

PHONE: +49 (0) 8821 73099-0 FAX: +49 (0) 8821 73099-16 E-mail: info@up-paragliders.com



Line Sheet
Single Line Lengths



Glider Type: Trango XC L - XG42L
Rev. No.: 3 - 23.02.2010

Line no.	pc	Length [mm]	Material	mark STC	colour	Line no.	pc	Length [mm]	Material	colour	Line no.	pc	Length [mm]	Material	HS*	colour
ao1	2	2400	LTC80	2160	red						A1	2	5710	LTC160	-10	red
ao2	2	2310	LTC80		red											
ao3	2	2325	LTC80		red											
ao4	2	1590	LTC80	1385	red											
ao5	2	1475	LTC80		red	aou1	4	1350	LTC120	red	A2	2	5090	LTC160	-15	red
ao6	2	1435	LTC80		red											
ao7	2	1465	LTC80		red											
ao8	2	1340	LTC65	1145	red											
ao9	2	1195	LTC65		red											
ao10	2	1090	LTC65		red	aou2	4	1350	LTC80	red	A3	2	5090	LTC120	-15	red
ao11	2	1025	LTC65		red											
ao12	2	1010	LTC65		red											
ao13	2	900	LTC65		red								6230		-10	
ao14	2	825	LTC65		red											

bo1	2	2335	LTC80	2160	red											
bo2	2	2245	LTC80		red						B1	2	5710	LTC160	-10	red
bo3	2	2270	LTC80		red											
bo4	2	1530	LTC80	1385	red											
bo5	2	1425	LTC80		red	bou1	4	1350	LTC120	red	B2	2	5090	LTC160	-15	red
bo6	2	1380	LTC80		red											
bo7	2	1425	LTC80		red											
bo8	2	1295	LTC65	1145	red											
bo9	2	1155	LTC65		red											
bo10	2	1060	LTC65		red	bou2	4	1350	LTC80	red	B3	2	5090	LTC120	-15	red
bo11	2	995	LTC65		red											
bo12	2	870	LTC65		red								6230		-10	

co1	2	2465	LTC65	2160	red											
co2	2	2380	LTC65		red						C1*	2	5720	LTC120	-20	red
co3	2	2390	LTC65		red											
co4	2	1650	LTC65	1385	red											
co5	2	1535	LTC65		red											
co6	2	1490	LTC65		red	cou1	4	1350	LTC80	red	C2*	2	5100	LTC120	-25	red
co7	2	1515	LTC65		red											
co8	2	1360	LTC65	1145	red											
co9	2	1205	LTC65		red											
co10	2	1095	LTC65		red											
co11	2	1015	LTC65		red	cou2	4	1350	LTC80	red	C3	2	5090	LTC120	-15	red
co12	2	925	LTC65		red											
co13	2	870	LTC65		red						stabi-main	2	6230	LTC120	-10	green

BTS*

brk1	2	1305	LTC65		red											
brk2	2	1180	LTC65		red											
brk3	2	1085	LTC65		red											
brk4	2	1020	LTC65		red	brkou1	6	2180	LTC80	red					0	
brk5	2	980	LTC65		red											
brk6	2	975	LTC65		red											
brk7	2	1400	LTC65		red											
brk8	2	1260	LTC65		red											
brk9	2	1195	LTC65		red	brkou2	4	1560	LTC80	red	brkuu	6	3115	LTC120		red
brk10	2	1190	LTC65		red											
brk11	2	1255	LTC65		red											
brk12	2	1110	LTC65		red											
brk13	2	985	LTC65		red	brkou3	4	1350	LTC80	red					90	
brk14	2	895	LTC65		red											

HS*

Brk-main	2	2285	979 1,5	-20	red
----------	---	------	---------	-----	-----

HS* = reduction of total length due to HandShakes

BTS* = loop extension of BTS (brake tension system)

* = doubleloop the main lines C1 and C2 at the maillon rapide according to specs

line material:

LIROS LTC65 - LTC80 - LTC120 - LTC160
Cousin 979 1,5mm

www.up-paragliders.com

UP International GMBH, Kreuzeckbahnstraße 7, D-82467 Garmisch - GERMANY

PHONE: +49 (0) 8821 73099-0 FAX: +49 (0) 8821 73099-16 E-mail: info@up-paragliders.com



